Grant H Garcia, MD

2409 North 45th Street, Seattle, WA 98103

Wallingford: 206-633-8100 Ballard: 206-784-8833



PATELLAR TENDON EXCISION (JUMPER'S KNEE) REHABILITATION PROTOCOL

| | WEIGHT BEARING | BRACE | ROM | EXERCISES |
|-------------------------|---|--|-------------------|---|
| PHASE I 0-2 weeks | Full in Brace locked in extension | Locked in full extension for sleeping and all activity* Off for exercises and hygiene | Full as tolerated | Heel slides, quad sets, patellar mobs, SLR, SAQ |
| PHASE II 2-6 weeks | 2-4 weeks: As per patient's PT Rx** 4-6 weeks: Full w/o brace | None** | Full | Addition of heel raises, total gym (closed chain), terminal knee extensions Activities w/ brace until 2 weeks; then w/o brace as tolerated |
| PHASE III 6-12 weeks | Full | None | Full | Progress closed chain activities Begin hamstring work, lunges/leg press 0-90°, proprioception exercises, balance/core/hip/glutes Begin stationary bike when able |
| PHASE IV 12-20 weeks | Full | None | Full | Progress Phase III exercises and functional activities: single leg balance, core, glutes, eccentric hamstrings, elliptical, and bike Swimming okay at 12 wks Advance to sport-specific drills and running/jumping after 16 wks once cleared by MD |

^{*}Brace, if one was prescribed, may be removed for sleeping after first post-operative visit (day 7-10)

^{**}Brace settings may vary depending on nature of exact procedure. Please refer to specific PT Rx provided.